

News Release

News Bureau 200 First Street SW Rochester, Minnesota 55905

http://www.mayoclinic.org

Contact:

Nick Hanson 507-284-5005 (days) 507-284-2511 (evenings)

Email: newsbureau@mayo.edu

Sept. 18, 2013

MULTIMEDIA ALERT: For audio and video of Dr. Mielke talking about the study, visit <u>Mayo Clinic News</u> Network.

For Immediate Release

Mayo Clinic Study: Blood Biomarker Could Mark Severe Cognitive Decline, Quicker Progression Among Parkinson's Patients

ROCHESTER, Minn. — A genetic mutation, known as <u>GBA</u>, that leads to early onset of <u>Parkinson's disease</u> and severe cognitive impairment (in about 4 to 7 percent of all patients with the disease) also alters how specific <u>lipids</u>, <u>ceramides</u> and <u>glucosylceramides</u> are metabolized. Mayo Clinic researchers have found that Parkinson's patients who do not carry the genetic mutation also have higher levels of these lipids in the blood. Further, those who had Parkinson's and high blood levels were also more likely to have cognitive impairment and dementia. The research was recently published online in the journal <u>PLOS ONE</u>.

The discovery could be an important warning for those with Parkinson's disease. Parkinson's is the second most common neurodegenerative disease after <u>Alzheimer's disease</u>. There is no biomarker to tell who is going to develop the disease — and who is going to develop cognitive impairment after developing Parkinson's, says <u>Michelle Mielke</u>, <u>Ph.D.</u>, a Mayo Clinic researcher and first author of the study.

Cognitive impairment is a frequent symptom in Parkinson's disease and can be even more debilitating for patients and their caregivers than the characteristic motor symptoms. The early identification of Parkinson's patients at greatest risk of developing dementia is important for preventing or delaying the onset and progression of cognitive symptoms. Changing these blood lipids could be a way to stop the progression of the disease, says Dr. Mielke.

There is a suggestion this blood lipid marker also could help to predict who will develop Parkinson's disease and this research is ongoing.

"There is currently no cure for Parkinson's, but the earlier we catch it — the better chance we have to fight it," says Dr. Mielke. "It's particularly important we find a biomarker and identify it in the preclinical phase of the disease, before the onset even begins."

Mayo Clinic: Blood Biomarker Could Mark Severe Cognitive Decline — page 2

Dr. Mielke's lab is researching blood-based biomarkers for Parkinson's disease because blood tests are less invasive and cheaper than a brain scan or spinal tap — other tools used to research the disease.

This work was supported by grants from the National Institute on Aging (U01 AG37526) and from George P. Mitchell and the late Cynthia W. Mitchell. The DEMPARK study was being funded by an unrestricted grant from Novartis and a grant from the International Parkinson Fonds (Deutschland) gGmbH (IPD). The continuation of the study (LANDSCAPE) is part of the Competence Network Degenerative Dementias (KNDD), which is funded by the German Federal Ministry of Education and Research (project number 01GI1008C)).

###

About Mayo Clinic

Mayo Clinic is a nonprofit worldwide leader in medical care, research and education for people from all walks of life. For more information, visit www.mayoclinic.com and www.mayoclinic.org/news.

Journalists can become a member of the <u>Mayo Clinic News Network</u> for the latest health, science and research news and access to video, audio, text and graphic elements that can be downloaded or embedded.